Neuroscience Letters, 196 (1995) 218–220
Elsevier Science Ireland Ltd.

AUTHOR INDEX

Amandusson, Å., Hermanson, O., Blomqvist, A., Estrogen receptor-like immunoreactivity in the medullary and spinal dorsal horn of the female rat, 25
Angel, R., Greenamyre. J.T., Chronic treatment with thioctic acid does not protect against malonate toxicity in vivo, 125
Arribas, M., see López-Alonso, E., 37
Asami-Odaka, A., see Mann, D.M.A., 105
Asanuma, T., see Inanami, O., 85
Azzena, G.B., see Grassi, C., 213

Backonja, M.-M., Miletic, G., Miletic, V., The effect of continuous morphine analgesia on chronic thermal hyperalgesia due to sciatic constriction injury in rats, 61
Bagetta, G., see Grassi, C., 213
Barrantes, G.E., Murphy, C.T., Westwick, J., Wonnacott, S., Nicotine increases intracellular calcium in rat hippocampal neurons via voltage-gated calcium channels, 101
Beitz, A.J., see Kus, L., 201
Belluardo, N., Salin, T., Dell'Albani, P., Mudò, G., Corsaro, M., Jiang, X.H., Timmusk, T., Condorelli, D.F., Neurotoxic injury in rat hippocampus differentially affects multiple trkB and trkC transcripts, 1
Biagini, G., see Kozlov, A.V., 140
Bitting, L., see Murphy, Jr., G.M., 153
Blomqvist, A., see Amandusson, Å., 25
Brown, R.E., Reymann, K.G., Metabotropic glutamate receptor agonists reduce paired-pulse depression in the dentate gyrus of the rat in vitro, 17
Bufler, J., Fischer, P., Pongratz, D., Franke, Ch., Electrophysiological characterization of nicotinic receptors of aneurally grown human myotubes, 73

Camacho-Ochoa, M., Walker, E.L., Evans, D.L., Piercey, M.F., Rat brain binding sites for pramipexole, a clinically useful D_3-preferring dopamine agonist, 97
Campbell, I.G., see Feinberg, I., 157
Canaves, J., see López-Alonso, E., 37
Cao, C.Q., Evans, R.H, Headley, P.M., Effect of raised Mg^{2+} on the antidromic activation of immature rat spinal motoneurones in vitro, 119
Casali, T.A.A., see Gomez, R.S., 131
Casanova, A., see López-Alonso, E., 37
Chang, C., Chen, G.C., Jang, T., A critical assessment of brain metabolites: analysis of perchloric acid extracts using proton nuclear magnetic resonance, 134
Chen, G.C., see Chang, C., 134
Chikai, T., Saeki, K., Effect of minute amounts of [D-Ala^2,MePhe^4,Gly(ol)^5]enkephalin injected into the tuberomammillary nucleus of rats on histamine release from the cerebral cortex, 137
Condorelli, D.F., see Belluardo, N., 1
Cooke, E.S., see Thomas, W.L., 161
Cordeiro, M.N., see Gomez, R.S., 131
Corsaro, M., see Belluardo, N., 1
Ćulić, M., Šaponjić, J., Janković, B., Udović, S., Popović, S., Rakić, L., Effect of neurotoxin DSP4 on EEG power spectra in the rat acute model of epilepsy, 49
Cunha, R.A., Johansson, B., Fredholm, B.B., Ribeiro, J.A., Sebastião, A.M., Adenosine A_{2A} receptors stimulate acetylcholine release from nerve terminals of the rat hippocampus, 41

Davidson, M., see Otsuki, M., 81
Dell'Albani, P., see Belluardo, N., 1
Delorenzi, A., Pedreira, M.E., Romano, A., Pirola, C.J., Nahmod, V.E., Maldonado, H., Acute administration of angiotensin II improves long-term habituation in the crab *Chasmagnathus*, 193
Dezaki, K., see Tsuneki, H., 13
Diniz, C.R., see Gomez, R.S., 131
Donaldson, L.F., McQueen, D.S., Seckl, J.R., Induction of transcription factor AP2 mRNA expression in rat primary afferent neurons during acute inflammation, 181
Drescher, D.G., see Drescher, M.J., 145
Drescher, M.J., Kern, R.C., Hatfield, J.S., Drescher, D.G., Cytochemical localization of adenylyl cyclase activity within the sensory epithelium of the trout saccule, 145
Dudel, J., see Heckmann, M., 53

Elfvin, A., see Xu, X.-J., 116
Endo, K., see Ichinose, H., 5
Evans, D.L., see Camacho-Ochoa, M., 97
Evans, R.H, see Cao, C.Q., 119

Feinberg, I., Campbell, I.G., Marrs, J.C., Intraperitoneal dizocilpine induces cortical spike-wave seizure discharges in rats, 157
Fischer, P., see Bufler, J., 73
Forghani, R., Krnjević, K., Econazole, a blocker of Ca^{2+} influx, selectively suppresses LTP of EPSPs in hippocampal slices, 122
Franke, Ch., see Bufler, J., 73
Franklin, S.O., see Zhu, Y.-s., 197
Fredholm, B.B., see Cunha, R.A., 41
Fujita, K., see Ichinose, H., 5
Fujita, M., see Tokuyama, T., 189
Fumagalli, G., see Tsuneki, H., 13

Gomez, M.V., see Gomez, R.S., 131
Gomez, R.S., Casali, T.A.A., Romano-Silva, M.A., Cordeiro, M.N., Diniz, C.R., Moraes-Santos, T., Prado, M.A.M., Gomez, M.V., The effect of $PhTx_3$ on the release of ^{3}H-acetylcholine induced by tityustoxin and potassium in brain cortical slices and myenteric plexus, 131
González-Ros, J.M., see López-Alonso, E., 37
Goodenough, S., see Otsuki, M., 81
Grassi, C., Santarelli, R., Nisticò, S., Bagetta, G., Azzena, G.B., Possible modulation of auditory middle latency responses by nitric oxide in the inferior colliculus of anaesthetized rats, 213
Greenamyre. J.T., see Angel, R., 125

Hämäläinen, M.M., Jyväsjärvi, E., Pertovaara, A., Can the α_2-adrenoceptor agonist-mediated suppression of nocifensive reflex responses be due to action on motoneurons or peripheral nociceptors? 29
Hammer, Jr., R.P., see Thomas, W.L., 161
Harris, C.L., see Quinn, M.R., 65
Hatfield, J.S., see Drescher, M.J., 145

Hauber, W., Münkle, M., Stimulation of adenosine A_{2a} receptors in the rat striatum induces catalepsy that is reversed by antagonists of *N*-methyl-D-aspartate receptors, 205
Hayaishi, O., see Nishihara, I., 57
Headley, P.M., see Cao, C.Q., 119
Heckmann, M., Dudel, J., Recordings of glutamate-gated ion channels in outside-out patches from Drosophila larval muscle, 53
Hermanson, O., see Amandusson, Å., 25
Hertz, L., Subbarao, K.V., 45
Humphreys, P., see Pullen, A.H., 33
Hung, H.C., Tao, P.L., Lee, E.H.Y., 1-Methyl-4-phenyl-pyridinium (MPP^+) uptake does not explain the differential toxicity of MPP^+ in the nigrostriatal and mesolimbic dopaminergic pathways, 93

Ichinose, H., Ohye, T., Segawa, M., Nomura, Y., Endo, K., Tanaka, H., Tsuji, S., Fujita, K., Nagatsu, T., GTP cyclohydrolase I gene in hereditary progressive dystonia with marked diurnal fluctuation, 5
Ihara, Y., see Mann, D.M.A., 105
Inanami, O., Asanuma, T., Inukai, N., Jin, T., Shimokawa, S., Kasai, N., Nakano, M., Sato, F., Kuwabara, M., The suppression of age-related accumulation of lipid peroxides in rat brain by administration of Rooibos tea (*Aspalathus linearis*), 85
Inturrisi, C.E., see Zhu, Y.-s., 197
Inukai, N., see Inanami, O., 85
Iriuchijima, T., see Yamada, M., 109
Ito, S., see Nishihara, I., 57
Iwasaki, T., see Yamada, M., 109
Iwatsubo,T., see Mann, D.M.A., 105

Jang, T., see Chang, C., 134
Janković, B., see Ćulić, M., 49
Jiang, X.H., see Belluardo, N., 1
Jin, T., see Inanami, O., 85
Johansson, B., see Cunha, R.A., 41
Jyväsjärvi, E., see Hämäläinen, M.M., 29

Kamei, J., Saitoh, A., Kasuya, Y., Involvement of δ_1-opioid receptors in the antinociceptive effects of mexiletine in mice, 169
Kasai, N., see Inanami, O., 85
Kasuya, Y., see Kamei, J., 169
Katayama, Y., see Tatsumi, H., 9
Kaur, C., Ling, E.A., Effects of dexamethasone on the epiplexus cells in postnatal rats, 165
Keast, J.R., Luckensmeyer, G.B., Schemann, M., All pelvic neurons in male rats contain immunoreactivity for the synthetic enzymes of either noradrenaline or acetylcholine, 209
Kern, R.C., see Drescher, M.J., 145
Key, B.J., see Lovick, T.A., 113
Kimura, I., see Tsuneki, H., 13
Kimura, M., see Tsuneki, H., 13
Konaka, S., see Yamada, M., 109
Kozlov, A.V., Biagini, G., Tomasi, A., Zini, I., Ex vivo demonstration of nitric oxide in the rat brain: effects of intrastriatal endothelin-1 injection, 140
Krnjević, K., see Forghani, R., 122
Kubota, A., Ootsuka, Y., Xu, T., Terui, N., The 10-Hz rhythm in the sympathetic nerve activity of cats, rats and rabbits, 173
Kus, L., Saxon, D., Beitz, A.J., NMDA R1 mRNA distribution in motor and thalamic-projecting sensory neurons in the rat spinal cord and brain stem, 201
Kuwabara, M., see Inanami, O., 85

Lee, E.H.Y., see Hung, H.C., 93
Ling, E.A., see Kaur, C., 165
López-Alonso, E., Canaves, J., Arribas, M., Casanova, A., Marsal, J., González-Ros, J.M., Solsona, C., Botulinum toxin type A inhibits Ca^{2+}-dependent transport of acetylcholine in reconstituted giant liposomes made from presynaptic membranes from cholinergic nerve terminals, 37
Lovick, T.A., Key, B.J., Distribution of nicotinamide adenine dinucleotide phosphate (NADPH)-dependent diaphorase staining in intraparenchymal blood vessels of the rat brain, 113
Luckensmeyer, G.B., see Keast, J.R., 209

Majewska, A., see Murphy, Jr., G.M., 153
Maldonado, H., see Delorenzi, A., 193
Mann, D.M.A., Pickering-Brown, S.M., Siddons, M.A., Iwatsubo,T., Ihara, Y., Asami-Odaka, A., Suzuki, N., The extent of amyloid deposition in brain in patients with Down's syndrome does not depend upon the apolipoprotein E genotype, 105
Maren, S., Sexually dimorphic perforant path long-term potentiation (LTP) in urethane-anesthetized rats, 177
Marrs, J.C., see Feinberg, I., 157
Marsal, J., see López-Alonso, E., 37
Matsumoto, I., see Otsuki, M., 81
McQueen, D.S., see Donaldson, L.F., 181
Miletic, G., see Backonja, M.-M., 61
Miletic, V., see Backonja, M.-M., 61
Minami, T., see Nishihara, I., 57
Miura, N., Shibata, S., Watanabe, S., Increase in the septal vasopressin content by prolyl endopeptidase inhibitors in rats, 128
Møller, A.R., see Szczepaniak, W.S., 77
Monden, T., see Yamada, M., 109
Montagne-Clavel, J., Olivéras, J.-L., Does barbiturate anesthesia modify the neuronal properties of the somatosensory thalamus? A single-unit study related to nociception in the awake-pentobarbital-treated rat, 69
Moraes-Santos, T., see Gomez, R.S., 131
Mori, M., see Yamada, M., 109
Mudò, G., see Belluardo, N., 1
Münkle, M., see Hauber, W., 205
Murakami, M., see Yamada, M., 109
Murphy, C.T., see Barrantes, G.E., 101
Murphy, Jr., G.M., Bitting, L., Majewska, A., Schmidt, K., Song, Y., Wood, C.R., Expression of interleukin-11 and its encoding mRNA by glioblastoma cells, 153

Nagane, Y., see Tohgi, H., 89
Nagatsu, T., see Ichinose, H., 5
Nahmod, V.E., see Delorenzi, A., 193
Nakano, M., see Inanami, O., 85
Nishihara, I., Minami, T., Watanabe, Y., Ito, S., Hayaishi, O., Prostaglandin E_2 stimulates glutamate release from synaptosomes of rat spinal cord, 57
Nisticò, S., see Grassi, C., 213
Nomura, Y., see Ichinose, H., 5

Ohye, T., see Ichinose, H., 5
Olivéras, J.-L., see Montagne-Clavel, J., 69
Onoda, N., see Sugai, T., 149
Ootsuka, Y., see Kubota, A., 173

Otsuki, M., Davidson, M., Goodenough, S., Wilce, P.A., Tase, C., Matsumoto, I., In vivo pharmacological study of spermine-induced neurotoxicity, 81

Pavcovich, L.A., Valentino, R.J., Central regulation of micturition in the rat by corticotropin-releasing hormone from Barrington's nucleus, 185
Pedreira, M.E., see Delorenzi, A., 193
Pertovaara, A., see Hämäläinen, M.M., 29
Pfurtscheller, G., see Stancák, Jr., A., 21
Pickering-Brown, S.M., see Mann, D.M.A., 105
Piercey, M.F., see Camacho-Ochoa, M., 97
Pirola, C.J., see Delorenzi, A., 193
Pongratz, D., see Bufler, J., 73
Popović, S., see Ćulić, M., 49
Prado, M.A.M., see Gomez, R.S., 131
Pullen, A.H., Humphreys, P., Diversity in localisation of nitric oxide synthase antigen and NADPH-diaphorase histochemical staining in sacral somatic motor neurones of the cat, 33

Quinn, M.R., Harris, C.L., Lead inhibits Ca^{2+}-stimulated nitric oxide synthase activity from rat cerebellum, 65

Rakić, L., see Ćulić, M., 49
Reymann, K.G., see Brown, R.E., 17
Ribeiro, J.A., see Cunha, R.A., 41
Romano, A., see Delorenzi, A., 193
Romano-Silva, M.A., see Gomez, R.S., 131

Saeki, K., see Chikai, T., 137
Saitoh, A., see Kamei, J., 169
Sala, C., see Tsuneki, H., 13
Salin, T., see Belluardo, N., 1
Santarelli, R.,
Šaponjić, J., see Ćulić, M., 49
Sato, F., see Inanami, O., 85
Satoh, T., see Yamada, M., 109
Saxon, D., see Kus, L., 201
Schemann, M., see Keast, J.R., 209
Schmidt, K., see Murphy, Jr., G.M., 153
Sebastião, A.M., see Cunha, R.A., 41
Seckl, J.R., see Donaldson, L.F., 181
Segawa, M., see Ichinose, H., 5
Shibata, S., see Miura, N., 128
Shimokawa, S., see Inanami, O., 85
Siddons, M.A., see Mann, D.M.A., 105
Solsona, C., see López-Alonso, E., 37
Song, Y., see Murphy, Jr., G.M., 153
Stancák, Jr., A., Pfurtscheller, G., Desynchronization and recovery of β rhythms during brisk and slow self-paced finger movements in man, 21
Stolzenburg, J.-U., see Subbarao, K.V., 45
Subbarao, K.V., Stolzenburg, J.-U., Hertz, L., Pharmacological characteristics of potassium-induced, glycogenolysis in astrocytes, 45
Sugai, T., Sugitani, M., Onoda, N., Damped oscillatory activity in the guinea pig accessory olfactory bulb slice, 149
Sugitani, M., see Sugai, T., 149
Suzuki, N., see Mann, D.M.A., 105
Szczepaniak, W.S., Møller, A.R., Evidence of decreased GABAergic influence on temporal integration in the inferior colliculus following acute noise exposure: a study of evoked potentials in the rat, 77

Tanaka, H., see Ichinose, H., 5
Tao, P.L., see Hung, H.C., 93
Tase, C., see Otsuki, M., 81
Tatsumi, H., Katayama, Y., Na^+ dependent Ca^{2+} influx induced by depolarization in neurons dissociated from rat nucleus basalis, 9
Terui, N., see Kubota, A., 173
Thomas, W.L., Cooke, E.S., Hammer, Jr., R.P., Pretreatment with a dopamine D_1-receptor antagonist prevents metabolic activation by cocaine, 161
Timmusk, T., see Belluardo, N., 1
Tohgi, H., Utsugisawa, K., Yoshimura, M., Yamagata, M., Nagane, Y., Heat-shock cognate 70 messenger RNA expression in postmortem human hippocampus: regional differences and age-related changes, 89
Tokuyama, T., Uemura, K., Fujita, M., The two types of mRNAs for neurofibromin isoforms produced by Von Recklinghausen neurofibromatosis (NF1) gene: analysis in human astrocytic tumors, 189
Tomasi, A., see Kozlov, A.V., 140
Tsuji, S., see Ichinose, H., 5
Tsuneki, H., Kimura, I., Dezaki, K., Kimura, M., Sala, C., Fumagalli, G., Immunohistochemical localization of neuronal nicotinic receptor subtypes at the pre- and postjunctional sites in mouse diaphragm muscle, 13

Udović, S., see Ćulić, M., 49
Uemura, K., see Tokuyama, T., 189
Utsugisawa, K., see Tohgi, H., 89

Valentino, R.J., see Pavcovich, L.A., 185

Walker, E.L., see Camacho-Ochoa, M., 97
Watanabe, S., see Miura, N., 128
Watanabe, Y., see Nishihara, I., 57
Westwick, J., see Barrantes, G.E., 101
Wiesenfeld-Hallin, Z., see Xu, X.-J., 116
Wilce, P.A., see Otsuki, M., 81
Wonnacott, S., see Barrantes, G.E., 101
Wood, C.R., see Murphy, Jr., G.M., 153

Xu, T., see Kubota, A., 173
Xu, X.-J., Elfvin, A., Wiesenfeld-Hallin, Z., Subcutaneous carrageenan, but not formalin, increases the excitability of the nociceptive flexor reflex in the rat, 116

Yamada, M., Iwasaki, T., Satoh, T., Monden, T., Konaka, S., Murakami, M., Iriuchijima, T., Mori, M., Activation of the thyrotropin-releasing hormone (TRH) receptor by a direct precursor of TRH, TRH-Gly, 109
Yamagata, M., see Tohgi, H., 89
Yoshimura, M., see Tohgi, H., 89

Zhu, Y.-s., Franklin, S.O., Inturrisi, C.E., Differential regulation of c-fos, proenkephalin and tyrosine hydroxylase gene expression by metrazole in the hamster adrenal and hippocampus, 197
Zini, I., see Kozlov, A.V., 140